

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

MAIL

GREENBLUM & BERNSTEIN, P.L.C. 1950 ROLAND CLARKE PLACE RESTON VA 20191 FEB - 6 2001

DIRECTOR OFFICE TECHNOLOGY CENTER 2600

In re Application of

TANAKA, KEIICHI, et al.

Application No. 10/596,109

Filed: August 23, 2006

DECISION ON PETITION TO MAKE SPECIAL

For: PLAYBACK APPARATUS FOR PERFORMING APPLICATION-SYNCHRONIZED PLAYBACK

This is a decision on the petition filed August 23, 2006 under Manual of Patent Examination Procedure §708.02, VIII requesting accelerated examination.

The petition under Manual of Patent Examination Procedure §708.02, VIII, must:

- (1) be filed prior to receiving any examination by the examiner,
- (2) be accompanied by the required fee-\$130,
- (3) the claims should be directed to a single invention (if it is determined that the claims pertain to more than one invention, then applicant will have to make an election without traverse or forfeit accelerated examination status),
- (4) state that a pre-examination search was made, and fully discuss the search method employed, such as classes and subclasses searched, publications, Chemical abstracts, patents, etc. A search made by a foreign patent office satisfies this requirement,
- (5) be accompanied by a copy of each of the references most closely related to the subject matter encompassed by the claims if said references are not already of record,
- (6) fully discuss the references, pointing out with the particularity required by 37 C.F.R. §1.111 (b) and (c), how the claimed subject matter is patentable over the references.

The petitioner meets all the above-listed requirements. Accordingly, the petition is **GRANTED**.

The application will retain its special status throughout its entire prosecution, including any appeal to the Board of Patent Appeals and Interferences, subject only to diligent prosecution by the applicant. The application file is being forwarded to the examiner for appropriate action in due course.

Kenneth A. Wieder

Quality Assurance Specialist Technology Center 2600

Kim A. Will

Communications